Tibial Plateau Blood Supply Biomechanics

Ph.Beaufils, Ph Boisrenoult,
D Hannouche
Centre Hospitalier Versailles

Background:

Arthroscopic or mini invasive treatment Theoretical advantages :

- 1. To minimize post op morbidity
- 2. To reduce injury of the tibial plateau blood supply
- 3. To reduce volume of hardware at a threshold which is compatible with a sufficient fixation

Background:


- Blood Supply of the lateral tibial plateau D. Hannouche, F. Duparc, P. Beaufils
- Plate versus 2 Screws : cadaver study
 P Boisrenoult, S Bricteux, P. Hardy, P. Beaufils
 RCO 2000
- Literature


Surg Rad Anat 2006


A genu inferior lateralis AGIL A. recurens tibialis ant ARTA


- 11 cadavers knees : posterior approach
- · selective injection of the two arteries
- · latex : blue and red























Arthroscopic or Mini Invasive Approach

- Preserves as maximum as possible the vessels coming from ARTA and AGIL
- Percutaneous screws or pins : less damage than plate

Biomechanics

- 2 questions : 1-which type of
- fixation?
 2-filling or not the gap?




Which type of fixation?

P. Boisrenoult, S Bricteux, P. Hardy, P. Beaufils

- To assess the resistance to compressive forces of 2 screws fixation versus plate fixation
- Using a Schatzker 2 fracture model






 10 were fixed with plate (6 holes) and 10 by two canulated cancellous screws



- compression test were carried out on type MTS 810 testing machine.
- axial compression with a femoral unicompartment prosthesis
- speed : 2mm/mn
- failure = displacement ≥ 2mm







Similar to Koval 's (1992), Parker 's (1999), Karunakar's (2002) studies (Schatzker 1)
Schatzker Type 2 model is a more relevant model
Schatzker 3 : Patil 2006 : 2 6.5cancellous screws is similar to 4 3.5cortical screws

What about unstable fractures

Ali Clin Biomech 2003

Duocondylar fracture model (sawbone)

• 5 different fixations (no locking plate)

• The best fixation :

– Dual plate : 4218N

– Two ring Hybrid fixator : 4184N

What about « unstable » fractures

Higgins J Orthop Trauma 2007

Duocondylar fracture
model (cadavers
knee)

Dual plate versus
lateral locking plate

"dual-plate fixation
allows less
subsidence ... when
compared to isolated
locked lateral plates"


Filling or not the gap?

Bone Mineral Density

Ali 2006 – cadaver study

Dual plate versus external fixator- bicondylar fracture

"BMD (DXA, pQCT) around the fracture site had the best correlation with the failure load regardless of the fixation technique. The two fixation methods tested performed equally well, ..."



Filling or not the gap?

Augmentation Welch JBJS 2003

Schatzker 3 model - goat Calcium phophate vs cancellous bone No Fixation

"Cancellous autograft did not maintain an anatomical reduction of the tibial plateau fractures in this model. In contrast, augmentation with calcium phosphate cement prevented subsidence of the fracture fragment "

Filling or not the gap?

Augmentation

Yetkinler J Orthop Trauma 2001

Schatzker 3 model - human cadavers knee Calcium phophate bone cement alone vs cancellous bone graft + screw fixation

"calcium phosphate cement provides equivalent or better stability than conventional open reduction and internal fixation in pure depression tibial plateau fractures "

Conclusion

Stability of the construct depends on :

- Bone mineral density
- Stability of the fracture

Screws ar sufficient in most of the cases but the more the fracture is unstable or the bone density is weak, the more the fixation should be stable:

- plate or external fixator instead of screws
- augmentation with phosphate calcium cement or cancellous graft